TECNOVAP

L'ARTE DEL VAPORE

english

STEAM CLEANER

Steam Box Pro

Steam + Vacuum

Steam Box Pro

kW from 7,2kW to 15,6 kW | bar 10

Technical features

- MyTecnovap connection
- Operating pressure 10 bar
- Water mains connection
- Water tank
- Detergent tank
- Automatic water refilling
- Detergent injection
- Overheated water injection
- Vacuum cleaner with brush motors
- Vacuum clenaer with Induction turbine
- Power switch regulation
- Control panel
- Boiler maintenance signal

Steam cleaner with stainless-steel body and boiler, designed for industrial use and able to deliver dry saturated steam at 183°C:

- Available version with a wet/dry vacuum cleaner with induction turbine or with brush motors.
- A sturdy structure, a fully electric operation and the compact size allows its a usage in any environment, both outdoors (watertight protection IPX5) and indoors (e.g. in production lines).
- All steam cleaner functions can be managed on the electronic control panel.
- Equipped with hose holder, double accessories basket, cable holder, extension tube holders and front 360° swivel wheels.

Made in ITALY TECNOVAP QUALITY

Steam Box Vac Pro

Steam Box Pro

Applications

- Food & Beverage
- Mechanical industry
- Healthcare
- Transport industry
- Conveyor belt

Discover all technical data of Steam Box Pro models.

Technical data

Steam cleaner *(in base of the model the data may vary)*

Boiler		Stainless-steel AISI 304 with interchangeable heating element		
Body		Stainless-steel AISI 304 BA		
Power supply	V - Hz	3~ 400 - 50/60		
Boiler output	kW/h	7,2	10,8	14,4
Maximum output	kW/h	7,35	10,95	14,55
Boiler volume	l	7		
Operating pressure	bar	10		
Water tank	l	14		
Detergent tank	l	14		
Steam production	g/min	194	272	388
	Kg/h	11,6	16,3	23
Steam temperature	° C	183		

Vacuum cleaner *(only for Steam Box Vac Pro)*

Type	-	Induction turbine	brush motors
Power output	kW/h	1	
Drum material	-	Stainless-steel	Stainless-steel or plastic
Drum capacity	l	7,5 - 14	5,5 - 7,5 - 14
Air flow	m3/h	200	
Depression	mm	2200	

Various *(data referring to the model with induction turbine)*

Weight	Kg	82
Cable	m	8
Dimensions *accessory holders included*	cm	A.120,4 x L.53 x P. 82,5
Packaging	cm	115x65x125
Unit/pallet	pz	1



Features

(in base of the model the features may vary)

MyTecnovap app

Control panel

ON/OFF switch

Power switch regulation

Steam outlet 10 bar - 12P

Water mains connection

Hook for Vac Industrial *(not included)*

Water tank

Detergent tank

Vacuum cleaner with induction turbine

Vacuum cleaner with brush motors

Steam Box Vac Pro only

Vacuum inlet

Ruote anteriori in gomma anti-traccia 360° con freno di sicurezza

Water tank level indicator

Detergent tank level indicator

Accessory basket and extension tube holder

Cable holder

Electric plug with 8m cable:

IEC309/16A — *Mod. 7,2 - 10,8 kW*

IEC309/32A — *Mod. 14,4 kW*

Optional accessories

The Steam Box Pro models can be used with the following accessories:

Geyser 1 · 10bar

Steam

Steam hose
5m - 8m - 10m - 15m

100mm lance

400mm lance

800mm lance

1200mm lance

Lance with window cleaner & diffuser
250mm - 350mm - 450mm

Steam brush with bristles
250mm - 350mm - 450mm
to be connected to the Geyser lance

Steam nozzle

Flat nozzle
L. 10mm

Stainless-steel floor scrubber brush

Flat nozzle w/scraper

Stainless-steel brush T50

Threaded white nylon brush
Ø60mm M8

Geyser / July adapter

July 10bar

Steam

Steam hose
5m - 8m - 10m - 12m

Extension tubes L. 480mm

Steam lance



Bayonette lance

45° curved bayonette lance

Rectangular brush

Traingular brush

Stainless-steel / brass brushes
Ø28mm

Stainless-steel brush
Ø60mm

Optional accessories

The Steam Box Vac Pro models can be used with the following accessories:

Radames 10bar

Steam/vacuum

Steam/vacuum hose with control panel
4m - 8m - 12m

Extension tubes - 2pcs
L. 480mm

Floor tool L. 375mm



Steam+vacuum industrial brush
L. 530mm

Squeegee/squeegee insert
L. 375mm

Brush/squeegee insert - 2pcs
L. 375mm



Steam+vacuum turbo lance

Stainless-steel upholstery tool

T.e.s.s. 10bar

Light-weight carbon fibre poles. Safety interlock system.

To clean up to 8meters in height

Initial pole L.950mm with control
panel & steam/vacuum
hose 6m or 8m

Additional pole L.1250 mm - 5pcs

45° curved carbon fiber connector

Straight carbon fiber connector

90° curved carbon fiber connector

Steam+vacuum triangular brush *

** Possibility of using varius Star accessories or, with a special adapter, Radames accessories*

Applications

Would you like to discover the cleaning possibilities of Steam Box Pro?

SCAN ME!

SCAN ME!

Need more information?
Don’t hesitate to contact us!

+39 045 67 67 252

sales@tecnovap.com - info@tecnovap.com

www.tecnovap.it

Follow us

SCAN ME!

SCAN ME!

SCAN ME!

SCAN ME!

TECNOVAP

L’ARTE DEL VAPORE

Tecnovap S.r.l.

Via dei Sassi 1/a, 37026 Pescantina, Verona - Italy