

# TECNOVAP

L'ARTE DEL VAPORE

english

STEAM CLEANER

# Steam Box Pro





Steam



Vacuum

# Steam Box Pro

kW from 7,2kW to 15,6 kW

bar 10

## Technical features



MyTecnovap  
connection



Operating pressure  
10 bar



Water mains  
connection



Water tank



Detergent tank



Automatic  
water refilling



Detergent  
injection



Overheated  
water injection



Vacuum cleaner  
with brush motors



Vacuum clenaer  
with Induction  
turbine



Power switch  
regulation



Control panel



Boiler maintenance  
signal

**Steam cleaner with stainless-steel body and boiler, designed for industrial use and able to deliver dry saturated steam at 183°C:**

- Available version with a wet/dry vacuum cleaner with induction turbine or with brush motors.
- A sturdy structure, a fully electric operation and the compact size allows its a usage in any environment, both outdoors (watertight protection IPX5) and indoors (e.g. in production lines).
- All steam cleaner functions can be managed on the electronic control panel.
- Equipped with hose holder, double accessories basket, cable holder, extension tube holders and front 360° swivel wheels.



## Steam Box Vac Pro



Steam Box Pro

## Applications



Food &  
Beverage



Mechanical  
industry



Healthcare



Transport  
industry



Conveyor belt



Discover all technical data  
of Steam Box Pro models.



## Technical data

### Steam cleaner (in base of the model the data may vary)


|                    |                                                                  |                |       |       |
|--------------------|------------------------------------------------------------------|----------------|-------|-------|
| Boiler             | Stainless-steel AISI 304<br>with interchangeable heating element |                |       |       |
| Body               | Stainless-steel AISI 304 BA                                      |                |       |       |
| Power supply       | V - Hz                                                           | 3~ 400 - 50/60 |       |       |
| Boiler output      | kW/h                                                             | 7,2            | 10,8  | 14,4  |
| Maximum output     | kW/h                                                             | 7,35           | 10,95 | 14,55 |
| Boiler volume      | l                                                                | 7              |       |       |
| Operating pressure | bar                                                              | 10             |       |       |
| Water tank         | l                                                                | 14             |       |       |
| Detergent tank     | l                                                                | 14             |       |       |
| Steam production   | g/min                                                            | 194            | 272   | 388   |
|                    | Kg/h                                                             | 11,6           | 16,3  | 23    |
| Steam temperature  | ° C                                                              | 183            |       |       |

### Vacuum cleaner (only for Steam Box Vac Pro)

|               |      |                   |                               |
|---------------|------|-------------------|-------------------------------|
| Type          | -    | Induction turbine | brush motors                  |
| Power output  | kW/h | 1                 |                               |
| Drum material | -    | Stainless-steel   | Stainless-steel<br>or plastic |
| Drum capacity | l    | 7,5 - 14          | 5,5 - 7,5 - 14                |
| Air flow      | m3/h | 200               |                               |
| Depression    | mm   | 2200              |                               |

### Various (data referring to the model with induction turbine)

|                                          |    |                          |
|------------------------------------------|----|--------------------------|
| Weight                                   | Kg | 82                       |
| Cable                                    | m  | 8                        |
| Dimensions<br>accessory holders included | cm | A.120,4 x L.53 x P. 82,5 |
| Packaging                                | cm | 115x65x125               |
| Unit/pallet                              | pz | 1                        |



## Features

(in base of the model the features may vary)



MyTecnovap app



Control panel



ON/OFF switch



Power switch  
regulation



Steam outlet  
10 bar - 12P



Water mains  
connection



Hook for **Vac Industrial**  
(not included)



Water tank



Detergent tank




Vacuum cleaner with  
induction turbine



Vacuum cleaner with  
brush motors



Vacuum inlet



Ruote anteriori in  
gomma anti-traccia 360°  
con freno di sicurezza



Water tank  
level indicator



Detergent tank  
level indicator



Accessory basket and  
extension tube holder



Cable holder



Electric plug with 8m cable:

IEC309/16A  
Mod. 7,2 - 10,8 kW

IEC309/32A  
Mod. 14,4 kW

# Optional accessories

The **Steam Box Pro** models can be used with the following accessories:



## Geyser 1 · 10bar

Steam



Steam hose  
5m - 8m - 10m - 15m



100mm lance




400mm lance



800mm lance



1200mm lance



Lance with window cleaner & diffuser  
250mm - 350mm - 450mm



Steam brush with bristles  
250mm - 350mm - 450mm  
to be connected to the Geyser lance



Steam nozzle



Flat nozzle  
L. 10mm



Stainless-steel floor  
scrubber brush



Flat nozzle w/scraper



Stainless-steel brush T50



Threaded white nylon brush  
Ø60mm M8



Geyser / July  
adapter

## July 10bar

Steam



Steam hose  
5m - 8m - 10m - 12m



Extension tubes L. 480mm



Steam lance



Bayonette lance

45° curved bayonette lance



Rectangular brush



Traingular brush



Stainless-steel / brass brushes  
Ø28mm



Stainless-steel brush  
Ø60mm



## Optional accessories

The **Steam Box Vac Pro** models can be used with the following accessories:

### Radames 10bar

Steam/vacuum



Steam/vacuum hose with control panel  
4m - 8m - 12m



Extension tubes - 2pcs  
L. 480mm



Floor tool L. 375mm



Steam+vacuum industrial brush  
L. 530mm



Squeegee/squeegee insert  
L. 375mm



Brush/squeegee insert - 2pcs  
L. 375mm



Steam+vacuum turbo lance



Stainless-steel upholstery tool

### T.e.s.s. 10bar

Light-weight carbon fibre poles. Safety interlock system.

To clean up to **8meters** in height



Initial pole L.950mm with control  
panel & steam/vacuum  
hose 6m or 8m



Additional pole L.1250 mm - 5pcs



45° curved carbon fiber connector



Straight carbon fiber connector



90° curved carbon fiber connector



Steam+vacuum triangular brush \*

\* Possibility of using various Star accessories or, with a special adapter, Radames accessories

# Applications



Would you like to discover  
the cleaning possibilities of  
**Steam Box Pro?**



Need more information?  
Don't hesitate to contact us!



+39 045 67 67 252



[sales@tecnovap.com](mailto:sales@tecnovap.com) - [info@tecnovap.com](mailto:info@tecnovap.com)



[www.tecnovap.it](http://www.tecnovap.it)

Follow us



L'ARTE DEL VAPORE

Tecnovap S.r.l.

Via dei Sassi 1/a, 37026 Pescantina, Verona - Italy