



made in Italy

ACTION_{pro}

Functionality and clean are worth twice







INDEX

<i>Features</i>	4
<i>Total outflow</i> <i>Partial outflow</i>	5
<i>Wiz wringer</i>	6-7
<i>Action Pro Tec</i>	8
<i>Action Pro Dry</i>	9
<i>Action Pro O-Key</i>	10
<i>Action Pro Wiz</i>	11




ACTION^{pro}



Features



ACTION PRO has a **total capacity of 30 L** divided between cleaning solution and rinse water.




The front basin containing the cleaning solution is equipped with a **graduated scale in litres and gallons** to facilitate dosing of water and cleaning solution.



PROFESSIONAL

double bucket to separate rinsing water from detergent solution




TWO DRAIN-PLUGS

front and back, to empty liquids out easily




HANDY

double handles to carry it easily




ERGONOMIC

higher than the traditional buckets it allows the operator to work while standing



EFFICIENT

it cuts working time and saves cleaning solution




STACKABLE

thanks to removable four 80 mm wheels



ECO-FRIENDLY

completely made of polypropylene, non-rusting, solid and entirely recyclable




VERSATILE

suitable with Tec, Wiz, Dry and O-Key wringers


Total outflow

Equipped with two drains for emptying liquids, one at the front and one at the rear of the bucket, complete with a gasket for watertightness and a closing lever.



Partial outflow

Rinsing water is always clean: thanks to the back drain-plug it can be emptied any time you need, without throwing away cleaning solution at the same time





Maximum result, minimum effort

Wiz

DESIGNED
TO AMAZE YOU



FLEXIBLE

Always ensures ideal wringing

4 different wringing intensity levels



EFFICIENT

Reduces floor drying time

Wrings **10** to **20%** more than traditional wringers, reducing floor drying time*



ERGONOMIC

Less strain

Reduces from **50** to **70%** the effort required for wringing, less strain*

Wiz

Traditional wringers

*Effort required**

* Results of the comparative analysis carried out with Wiz wringer and a jaw wringer.
The percentage value varies according to the set wringing intensity.

Clean is worth double

Combining **Action Pro** with **Wiz** allows you to optimise wringing while minimising effort



Wiz
ACTION^{pro}




TEC



Wringer	code	C	cm	L	pcs	code	C	cm	L	pcs
	0R006480		58x38x91	30	1	0R006484		58x38x91	30	4
	0B006480					0B006484				
	0V006480					0V006484				
	0G006480					0G006484				


USE



1 - Washing




2 - Rinsing




3 - Wringing

COMPATIBILITY




UNI
SYSTEM



WET
SYSTEM



BLIK - POCKET Y
WET DISINFECTION




MOP

DRY




Wringer	code	C	cm	L	pcs	code	C	cm	L	pcs
	0R066480		60x38x97	30	1	0R066484		60x38x97	30	4
	0B066480					0B066484				
	0V066480					0V066484				
	0G066480					0G066484				


USE



1 - Washing




2 - Rinsing




3 - Wringing

COMPATIBILITY



UNI
SYSTEM




WET
SYSTEM

O-KEY




Wringer	code	C	cm	L	pcs	code	C	cm	L	pcs
	0R036480	●	69x38x93	30	1	0R036484	●	69x38x93	30	4
	0B036480	●				0B036484	●			
	0V036480	●				0V036484	●			
	0G036480	●				0G036484	●			


USE



1 - Washing



2 - Rinsing




3 - Wringing

COMPATIBILITY




UNI
SYSTEM



WET
SYSTEM



BLIK - POCKET Y
WET DISINFECTION



MOP




BIX

WIZ



Wringer	code	C	cm	L	pcs	code	C	cm	L	pcs
	0R086480		58x38x91	30	1	0R086484		58x38x91	30	4
	0B086480					0B086484				
	0V086480					0V086484				
	0G086480					0G086484				

USE



1 - Washing



2 - Rinsing




3 - Wringing

COMPATIBILITY



UNI
SYSTEM



WET
SYSTEM



BLIK - POCKET Y
WET DISINFECTION



Headquarters

TTS Cleaning S.R.L.

Viale dell'Artigianato, 12-14
35010 - Santa Giustina in Colle (PD)
Tel: +39 049 93 00 710 | Fax: +39 049 93 00 720
E-mail: info@ttsystem.com | Web: www.ttsystem.com



www.ttsystem.com

TECNO TROLLEY SYSTEM ESPAÑA S.L.U.

C/de Galileu Galilei, 15
Pol. Ind. Coll de la Manyà
08403 - Granollers (Barcelona)
Tel: +34 93 861 6840
E-mail: ventas@ttsystem.com | Web: www.ttsystem.es

TECNO TROLLEY SYSTEM DO BRASIL LTDA

Av. Presidente Kennedy, 200
Portão Vermelho - CEP 06730-000
Vargem Grande Paulista - SP - Brasil
Tel: + 55 11 4612-0722 / 4158-9990 | Fax: +55 11 4612 0031
E-mail: vendas@ttsbrasil.com.br | Web: www.ttsbrasil.com.br

TTS CLEANING UK LTD

20 Fitzroy Square, Fitzrovia
London - United Kingdom
W1T 6EJ
Toll free number: 0800 285 1793
E-mail: uksales@ttsystem.com | Web: www.ttsystem.co.uk

TTS DE GmbH

Brienner Strasse 55
80333 - München
Fax: +49 (0) 2643 900 711
E-mail: vertrieb@ttsystem.com | Web: www.ttsystem.com

Distributor

