



Wiz

Designed to amaze you





WIZ




WIZ WRINGS FOR YOU

You will be amazed by the first and only wringer that **easily reaches its final position while wringing at maximum**

JOB DONE! This is the immediate result the operator will see at the end of the wringing motion, **eliminating the need to repeat wringing efforts** due to not having wrung out the mops sufficiently.


Wiz is the plate wringer designed to **wring on behalf of the operator**: simply guide the lever to the end of its stroke to immediately remove all excess water.

The result is a **complete** wringing action, incredibly **easy** and **immediate**.



TTS

Wiz







FLEXIBLE:

4

different
wringing intensity levels



RESIDUAL MOISTURE



EFFICIENT:

REDUCES FLOOR DRYING TIME

Wrings

20 to 10%

more than conventional wringers*

* Results of the comparative analysis carried out with Wiz wringer and a jaw wringer



Wiz




ERGONOMIC:
LESS EFFORT

Reduces from

70 to **50**%

the effort required for wringing*



INSURED BENEFITS

The adjustment system allows you to set the moisture content of the mop, keeping it constant at each wringing: the result is no longer dependent on the strength of the operator, ensuring **high performance** and **optimum cleaning**.




10
WRINGING

WITH JAWS


310 kg

WITH
Wiz


120 kg



STRENGTH



* Results of the comparative analysis carried out with Wiz wringer and a jaw wringer




ALWAYS ENSURES IDEAL WRINGING

Wiz also stands out for its innovative **adjustment system** that allows you to **set the wetness of the mop according to your specific needs**: in just a few moments, you can change the wringing action according to the surface being cleaned and the mop used, increasing or decreasing the pressure on the mop.



Wiz

T.S






Wringing intensity adjustable via rotating plate and cap



Adjustable thickness of rotating plate

to increase or decrease wringing intensity



Rotating cap

to adjust the pressure on the mop as needed





Wiz



ADJUSTMENT INSTRUCTIONS



Wet
mop



(STANDARD)
Very damp
mop



Damp
mop



Slightly damp
mop




Opening

to guide the frame without touching it with the hands



Handle holder

to secure the tool when carrying along






GUARANTEED ERGONOMICS

No matter which mop you use or which wringing intensity you set: Wiz always requires **half the effort** compared to traditional wringers, reducing the risk of **injury and muscle pain** in accordance with the regulations UNI EN ISO 11228 e OCRA - Occupational Repetitive Action.

TRADITIONAL
WRINGER

Wiz



Effort required




COLOUR CODED

- 
00003200V Grey body, green sleeve, grip and green cover

- 
00003200B Grey body, sleeve and grip, blue cover

- 
00003200R Grey body, sleeve and grip, red cover


- 
00003200G Grey body, sleeve and grip, yellow cover



MULTIPURPOSE
TROLLEYS



WASHING
TROLLEYS



FLAT
SYSTEM



4 WRINGING
INTENSITIES



A UNIVERSAL SOLUTION

Wiz can be combined with the entire range of **multi-purpose trolleys**, **washing trolleys** and **TTS buckets**, guaranteeing high-performance professional wringing in all situations.





Headquarters

TTS Cleaning S.R.L.

Viale dell'Artigianato, 12-14
35010 - Santa Giustina in Colle (PD)
Tel: +39 049 93 00 710 | Fax: +39 049 93 00 720
E-mail: info@ttsystem.com | Web: www.ttsystem.com



www.ttsystem.com

TECNO TROLLEY SYSTEM ESPAÑA S.L.U.

C/de Galileu Galilei, 15
Pol. Ind. Coll de la Manyà
08403 - Granollers (Barcelona)
Tel: +34 93 861 6840 | Fax: +34 93 861 8437
E-mail: ventas@ttsystem.com | Web: www.ttsystem.es

TECNO TROLLEY SYSTEM DO BRASIL LTDA

Av. Presidente Kennedy, 200
Portão Vermelho - CEP 06730-000
Vargem Grande Paulista - SP - Brasil
Tel: + 55 11 4612-0722 / 4158-9990 | Fax: +55 11 4612 0031
E-mail: vendas@ttsbrasil.com.br | Web: www.ttsbrasil.com.br

TTS CLEANING UK LTD

20 Fitzroy Square, Fitzrovia
London - United Kingdom
W1T 6EJ
Toll free number: 0800 285 1793
E-mail: uksales@ttsystem.com | Web: www.ttsystem.co.uk

TTS DE GmbH

Briener Strasse 55
80333 - München
Fax: +49 (0) 2643 900 711
E-mail: vertrieb@ttsystem.com | Web: www.ttsystem.com

Distributor

